

STD \$\$ PARENT	COMPONENT DESCRIPTION	STD \$\$	QTY	TOTAL
-----------------	-----------------------	----------	-----	-------

GVP BOM AS OF NOV 20. 1993 BASED ON STANDARD COST
---

A2K040	114041	SHIP ASSY, A2-040/16/0	1186.10	TOTAL
--------	--------	------------------------	---------	-------

418101-06	PC ASSY, A2000-040 R6.04	545.59		
	BARE BOARD		36.00	
	PASSIVE		7.58	
	PROGRAMABLES		80.16	
	LOGIC		39.82	
	PROCESSOR		264.00	
	OTHER IC'S		26.96	
	SOCK/CONN		21.95	
	SUB LABOR		40.26	
	OTHER		28.87	
	SIMM ASSY, 32-16MB/60NS DRAM	630.168		
	DOC PKG	4.56		
	GVP LABOR	1.35		
	OTHER	4.422		

1186.10	114041	SHIP ASSY, A2-040/16/0				
	114041	221005	SIMM ASSY, 32-16MB/60NS DRAM	630.168	1.0	630.17
	114041	300014	DOC PKG, A2000-040	4.564	1.0	4.56
	114041	320003	ASSY, BRKT/CBLE SCSI A2000-040	2.420	1.0	2.42
	114041	418101-06	PC ASSY, A2000-040 R6.04	545.594	1.0	545.59
	114041	510003	BRACKET, A2000-HC8	0.500	1.0	0.50
	114041	930004	BAG, STATIC SHIELD 8 X 17"	0.175	1.0	0.18
	114041	931003	FOAM CROSS	0.890	1.0	0.89
	114041	940030	BOX, SLEEVE, A2000-040	0.480	1.0	0.48
	114041	941008	LABEL, BAG, ANTISTATIC CAUTION	0.020	1.0	0.02
	114041	941121	LABEL, FCCID A2000-040	0.009	1.0	0.01
	114041	941139	LABEL, BLANK BAR CODE BOX	0.020	1.0	0.02
	114041	941140	LABEL, BLANK BAR CODE SERIAL	0.008	1.0	0.01
	114041	999998	GVP LABOR	0.250	5.0	1.25
4.56	300014					0.00
	300014	920025	MANUAL, INST, FASTPREP 2.0	1.180	1.0	1.18
	300014	921001	CARD, WARRANTY, GENERIC	0.040	1.0	0.04
	300014	921003	CARD, SFTWR LICENSE	0.026	1.0	0.03
	300014	921024-01	MANUAL, A2000-040 9/92	2.770	1.0	2.77
	300014	921037-01	ADDENDUM, A2000-040 R1	0.000	1.0	0.00
	300014	930013	BAG, POLY 7x10 ZIPLOCK W/HOLE	0.056	1.0	0.06
	300014	961018-04	DISK PROG, A2000-040 V1.40	0.492	1.0	0.49
545.59	418101-06					0.00
	418101-06	311002-03	FAN ASSY, A2000-040 3PIN 2.5"	12.400	1.0	12.40
	418101-06	500028-06	PCB, A2000-040 R6	36.000	1.0	36.00
	418101-06	510022	BRACKET, A2000-040 REAR	2.440	1.0	2.44
	418101-06	510029	SHIELD, FCC, LID A2000-040	4.250	1.0	4.25
	418101-06	510030	SHIELD, FCC, FENCE A2000-040	6.600	1.0	6.60
	418101-06	510031	CLIP, BERYLLIUM COPPER	0.480	1.0	0.48
	418101-06	600101	IC, 74AS258, SO 16	0.650	2.0	1.30
	418101-06	600102	IC, 74AS646, SOL20	3.160	4.0	12.64
	418101-06	600104	IC, 74AS74, SO 14	1.400	6.0	8.40

STD \$\$ PARENT	COMPONENT DESCRIPTION		STD \$\$	QTY	TOTAL
418101-06	600120	IC, 74S05, SO 14	0.300	2.0	0.60
418101-06	600121	IC, 74F151, SO 16	0.570	2.0	1.14
418101-06	600129	IC, 7407, SO 14	0.520	1.0	0.52
418101-06	600146	IC, 74ACT16245, 48 PIN, SMT	2.050	1.0	2.05
418101-06	600163	IC, 74LS273, 20 PIN, SO DW	0.420	1.0	0.42
418101-06	600164	IC, 74ABT16245, 48PIN, SO DL	3.050	4.0	12.20
418101-06	621002	IC, MC88916, SO DW 20 PIN	8.000	1.0	8.00
418101-06	630004	IC, DPRC-01 QFP100PIN 20+30x2	5.000	1.0	5.00
418101-06	630100	IC, 33C93A, PLCC44	6.000	1.0	6.00
418101-06	630106	IC, 16C551, 68 PLCC	4.980	1.0	4.98
418101-06	630109	IC, RS232, TRANSC, SO DW 24P	2.980	1.0	2.98
418101-06	640018	CPU, 68040 33 MHZ	264.000	1.0	264.00
418101-06	650004-05	PAL, 16L8-5 53D0 U36 A2-040	6.630	1.0	6.63
418101-06	650004-06	PAL, 16L8-5 3937 U43 A2-040	7.150	1.0	7.15
418101-06	650010-05	PAL, 20L8-5 BDBE U42 A2-040R6	9.300	1.0	9.30
418101-06	650024-03	PAL, 20L8-5 99EE U44 A2-040R6	11.000	1.0	11.00
418101-06	650025-01	GAL, 20V8-10 3610 U3 A2-040R6	2.910	1.0	2.91
418101-06	650026-01	GAL, 16V8-10 2F11 U11 A2-040R6	1.400	1.0	1.40
418101-06	650026-02	GAL, 16V8-10 572B U30 A2-040R6	1.400	1.0	1.40
418101-06	650027-08	PAL, 22V10-10 \$95E9 U9 A2-0405	7.270	1.0	7.27
418101-06	650028-01	GAL, 20V8-7 AD71 U38 A2-040R6	3.170	1.0	3.17
418101-06	650028-02	GAL, 20V8-7 A43D U39 A2-040R6	3.170	1.0	3.17
418101-06	650028-03	GAL, 20V8-7 9A9E U40 A2-040R6	3.170	1.0	3.17
418101-06	650028-04	GAL, 20V8-7 A39E U41 A2-040R6	3.170	1.0	3.17
418101-06	652001-04	EPLD, MACH130-20 03D8 U6 A2-04	12.600	1.0	12.60
418101-06	652004-01	EPLD, MACH 110-20 F6A0 U8 A204	5.470	1.0	5.47
418101-06	661011-08	EPROM, 27C256-20 9508 FRMV4.13	2.350	1.0	2.35
418101-06	711103	RES, 220 OHM, CHIP, 0805	0.007	19.0	0.12
418101-06	711107	RES, 4.7K OHM, CHIP, 0805	0.007	1.0	0.01
418101-06	711109	RES, 100 OHM, CHIP, 0805	0.007	1.0	0.01
418101-06	711110	RES, 150 OHM, CHIP, 0805	0.007	3.0	0.02
418101-06	711112	RES, 1K OHM, CHIP, 0805	0.007	5.0	0.03
418101-06	711119-01	RES, 1M OHM, 1%, CHIP, 0805	0.011	1.0	0.01
418101-06	711131	RES, 510 OHM, CHIP 0805	0.010	7.0	0.07
418101-06	711138-01	RES, 47.5 OHM, RC, 1%, 0805	0.010	1.0	0.01
418101-06	711150	RES, 10 OHM 5% SMT0805	0.007	6.0	0.04
418101-06	711158	RES, 33 OHM 5% RC0805	0.007	1.0	0.01
418101-06	711159	RES, 22 OHM 5% RC0805	0.007	2.0	0.01
418101-06	712003	R-PAK, 10K X 9, 10 PIN, SIP10	0.070	5.0	0.35
418101-06	712006	R-PAK, 1K X 9, 10 PIN, SIP10	0.070	2.0	0.14
418101-06	712010	R-PAK, 221/331 TERM 8 PIN	0.235	3.0	0.71
418101-06	712011	R-PAK, 33 OHM X 4, 8 PIN, SIP8	0.068	10.0	0.68
418101-06	712013	R-PAK, 4.7K X 9, 10 PIN, SIP10	0.070	5.0	0.35
418101-06	712016	R-PAK, 510 OHM X9, 10 PIN, T-H	0.070	4.0	0.28
418101-06	721017	CAP, 47UF, 16V, CC POL D7243	0.250	5.0	1.25
418101-06	721018	CAP, 4.7UF SMT B	0.114	1.0	0.11
418101-06	721028	CAP, .33UF, 25V, Z5U, CC 1210*	0.038	60.0	2.28
418101-06	721037	CAP, 68 PF NPO SMT0805	0.026	2.0	0.05
418101-06	721039	CAP, 150PF SMT 0805	0.026	7.0	0.18
418101-06	721084	CAP, .1 UF, SMT 1210, XR7	0.043	9.0	0.39
418101-06	721094	CAP, 10 UF, 6V, SMT B	0.114	1.0	0.11
418101-06	731016	IND, 220UH, SMT, 3225	0.180	2.0	0.36
418101-06	760015	OSC, 7.3728 MHZ	1.250	1.0	1.25
418101-06	760028	OSC, 16.5 MHZ	1.430	1.0	1.43
418101-06	941028	LABEL, PC .2 x .65"	0.007	1.0	0.01
418101-06	941121	LABEL, FCCID A2000-040	0.009	1.0	0.01
418101-06	950007	CONN, DB25, FEMALE RT>, PC **	0.360	1.0	0.36
418101-06	950010	JUMPER 2 PIN	0.015	14.0	0.21
418101-06	950012	SOC HDR, 60 PIN, SOCKET, DIL**	1.480	1.0	1.48
418101-06	950036	CONN, DB 9 PIN, MALE RT>, PC	0.290	1.0	0.29
418101-06	951001	HDR, 3 PIN, SIL	0.012	5.0	0.06

A2K040 - 2

STD \$\$ PARENT	COMPONENT DESCRIPTION	STD \$\$	QTY	TOTAL
418101-06	952001 HDR, 10 PIN DIL	0.045	3.0	0.14
418101-06	952007 HDR, 50 PIN DIL SHROUDED	0.550	1.0	0.55
418101-06	952008 HDR, 60 PIN, DIL	0.275	1.0	0.28
418101-06	952012 HDR, 6 PIN, DIL	0.024	1.0	0.02
418101-06	953007 SOCKET, IC, 28 PIN, DIP LP PC	0.083	1.0	0.08
418101-06	953021 SOCKET, CPU, 179 PIN, T-HOLE	10.260	1.0	10.26
418101-06	953026 SOCKET, 84 PIN, PLCC	1.500	1.0	1.50
418101-06	953027 SOCKET, 28 PIN, PLCC	0.960	1.0	0.96
418101-06	954004 SOCKET, SIMM 64, SING LP **	1.350	4.0	5.40
418101-06	954008 SOCKET, 8 PIN LP SIP	0.120	3.0	0.36
418101-06	999999 SUBCONTRACT LABOR	0.354	113.7	40.26
0.49 961018-04				0.00
961018-04	941091 LABEL, DISK A2000-040 INSTALL	0.072	1.0	0.07
961018-04	960001 DISK, BLANK	0.320	1.0	0.32
961018-04	997018-04 DISK, MSTR A2000-040 V1.40	0.000	1.0	0.00
961018-04	999998 GVP LABOR	0.250	0.4	0.10

A2K040-3

**this document was generously  
contributed by  
robert miranda**

**scanned by:  
commodore international historical society  
[www.commodore.international](http://www.commodore.international)**